

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	235	380/247.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 12:53
L4	44	380/248.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 12:54
L5	49	380/249.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 12:54
L6	3	5 and TMSI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 12:54
L7	0	5 and (TMSI with authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 12:54
L8	83	4 or 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 12:55
L9	4	8 and (TMSI with (authenticat\$3 or verif\$7 or validat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:17
L10	194	380/282.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:17

L11	1034	380/28.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:17
L12	1036	380/30.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:17
L13	170	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:19
L14	298	726/3.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:19
L15	236	726/6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/18 13:19
S1	0	"09989806"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:30
S2	1	"20030097584".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 14:29
S3	70	(message\$1 same identi\$8 same hash).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 13:29
S4	51	S3 and @ad<="20011120"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 13:28

S5	55	(message\$1 same identi\$8 same hash) same (header with identi\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 13:32
S6	3	(message\$1 same (sender or transmitter) same identi\$8 same hash) same (header with identi\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 14:51
S7	3	"6401206".pn. or "6173431".pn. or "6212240".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 14:53
S8	5	(GSM) and IMPU	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 16:50
S9	3	"SIP" and (ciphering adj key\$1) and (integrity adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 16:53
S10	13	"SIP" and (integrity adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 16:53
S11	3	"SIP".ab. and (integrity adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/01 16:54
S12	345	"SIP" same ((uniform adj resource adj identifier) or "URL")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:32
S13	684	"SIP".ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:32
S14	95	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:32

S15	7	"SIP" same ((uniform adj resource adj identifier) or "URL") same (request adj method\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:34
S16	1	"SIP" same ((uniform adj resource adj identifier) or "URL") same (request adj method\$1) same encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:36
S17	1	"SIP" same (request adj method\$1) same encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:36
S18	9	"SIP" same ((uniform adj resource adj identifier) or "URL") same encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/03 13:37